

Message

From: Kinard, Sherrie [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=421C403747D84665BDCC668609217EE3-KINARD, SHERRIE]
Sent: 5/28/2019 3:22:54 PM
To: (b) (6)
Subject: FW: Re: Deborah Munn co-worker at the State of WY Department of Health

From: Ex. 6 PP / Ex. 7(C)
Sent: Wednesday, April 24, 2019 8:11 PM
To: Kinard, Sherrie <Kinard.Sherrie@epa.gov>
Subject: Fw: Re: Deborah Munn co-worker at the State of WY Department of Health

This is an email that Ex. 6 PP / Ex. 7(C) sent me regarding the sprays. Ex. 6 PP / Ex. 7(C) and talked to our supervisor about the symptoms. Ex. 6 PP / Ex. 7(C) not counted in the 45 as we were told they never sprayed in our area 259a/b. Yet 59 days after the last spray they found it on my desktop, my floor and my cubicle wall. Remember, the State had the building area cleaned the night before the samples by OSHA were collected. The samples for my desk on the sample chart are labeled "259b". Ex. 6 PP / Ex. 7(C) Ex. 6 PP / Ex. 7(C) the samples were collected September 30th 2015.

Ex. 6 PP / Ex. 7(C)

----- Forwarded Message -----

From: Ex. 6 PP / Ex. 7(C)
To: Ex. 6 PP / Ex. 7(C)
Cc:
Sent: Tuesday, October 13, 2015, 6:01:58 AM MDT
Subject: Re:

Good morning,
Knowing how quickly they were "in and out" of the areas, and people and their belongings were present, it sounds like the applicator didn't follow the directions or clean the area.
Everything they did was wrong, including the high concentration of insecticide used and the frequency

On Mon, Oct 12, 2015 at 12:04 PM, Ex. 6 PP / Ex. 7(C) wrote:

Just an update on information:

Hey all,

I noticed as I was making copies for Ex. 6 PP / Ex. 7(C) this morning on the Presto-X spray reports.

I noticed that each spray report had a different concentrate and "quantity" level. I looked on the Talstar sheets for the "label" directions and noticed this notice:

Talstar ® Termiticide/Insecticide Dilution Chart Fluid Ounces of Talstar Termiticide/Insecticide Diluted to these Volumes of Finished Spray Applic. Volume: % a.i. Lower finished volumes can be used indoors and for non-porous surfaces. Do not apply more than 1 oz. Talstar Termiticide/Insecticide per 1,000 square feet.

They used **192 ounces to cover roughly 10,000 square feet in less than four weeks** (if the sprayed coverage area was 259C, 259D, 259A & 259B) and if they covered every inch of the place which may or may not be, but this would be roughly 19 times the limit. This mix is supposed to be mixed to gallons of water not ounces, 8, 24, 96 & 64 oz used.

For maximum residual control, dilute 1.0 fluid oz. of Talstar ® Termiticide/Insecticide in up to 10 gallons of water and apply 1 to 10 gallons per 1000 square feet

People present or residing in the structure during application **must** be advised to remove their pets and themselves from the structure if they see any signs of leakage. After application, the applicator is required to check for leaks. All leaks resulting in the deposition of termiticide in locations other than those prescribed on this label must be cleaned up prior to leaving the application site. **Do not allow people or pets to contact contaminated areas or to reoccupy contaminated areas of the structure until the clean-up is completed**

Do not apply this product in patient rooms or in any rooms while occupied by the elderly or infirm. Do not apply in classrooms when in use. Do not apply when occupants are present in the immediate area in institutions such as libraries, sports facilities, etc. Application equipment that delivers low volume treatments, such as the Micro-Injector ® or Actisol ® applicators, may also be used to make crack and crevice, deep harborage, spot and general surface treatments of Talstar ® Termiticide/Insecticide

Use the high rate for heavy pest infestation, quicker knockdown, or longer residual control. Retreatment may be necessary to achieve and/or maintain control during periods of high pest pressure, or if there are signs of renewed insect activity. For the lower use rates, **repeat application should be limited to no more than once per seven days. For the high use rate of 1.0 fluid oz. Talstar ® Termiticide/Insecticide per gallon (128 ounces) of water, do not apply more than once per four weeks.**

Ex. 6 PP / Ex. 7(C)